

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/554382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:17
S2	10	@ad<"20030429" and ABM and PBM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:21
S5	2	("20030141989").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 14:30
S6	11059	@ad<"20030429" and (near-field "near field")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:42
S7	27	S6 and (determin\$3 with active with passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:42
S8	22	S7 and (power energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:43
S9	15	S7 and (power energy). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:46

S10	3	@ad<"20030429" and (determin\$3 near7 (power energy) near source) near7 passive near4 active	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:56
S11	6961	@ad<"20030429" and (RFID (radio adj frequency adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:31
S12	1122	S11 and (passive same active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:32
S14	56	S12 and ((decid\$3 determin\$3) near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:33
S15	31	S14 and ((energy power) near3 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:34
S16	9	S15 and (determin\$3 decid\$3 monitor43) near4 (power energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:43
S18	0	S16 and ((terminat\$3 disconnect\$3 drop\$4) near3 (premature\$2 unintentional\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:47
S19	6	S16 and (terminat\$3 disconnect\$3 drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:47

S20	21	S15 and (terminat\$3 disconnect\$3 drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:49
S21	0	S15 and ((terminat\$3 disconnect\$3 drop\$4) near3 (premature\$2 unintentional\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:50
S23	6961	@ad<"20030429" and (RFID (radio adj frequency adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 09:50
S24	107	S23 and ((chang\$3 switch \$3) with active with passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 09:50
S25	11	S23 and ((chang\$3 switch \$3) with active with passive with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 09:50
S26	0	S24 and (automatic\$4 near4 (select\$3 determin \$3 decid\$3) near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 09:57
S27	3	S24 and ((select\$3 determin\$3 decid\$3) near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 09:57
S28	0	S24 and (on adj the adj fly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 10:00

S29	8	S23 and ((determin\$3 decid\$3) near4 active near4 passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 10:02
S30	1519	@ad<"20030429" and ((chang\$3 switch\$3) near4 active near4 passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 13:49
S34	17	S30 and (bluetooth RFID (radio adj frequency adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 13:52
S35	4	S34 and ((chang\$3 switch\$3) near5 (energy power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 13:52
S36	430	@ad<"20030429" and ((power energy) near (source supply) near5 determin\$3 near5 ((active near2 passive) mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:49
S37	7	S36 and (bluetooth RFID (radio adj frequency adj identification) transponder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:50
S38	9	@ad<"20030429" and ((power energy) near5 determin\$3 near5 (active near2 passive)) not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:53
S39	63	("4566009" "5109217" "5349332" "5438332" "5495229").PN. OR ("5850181").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 14:56
S40	50	@ad<"20030429" and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:56

S41	16	S40 and (active same passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:57
S42	13	("4962485" "5483827" "5606323" "5822683" "5850181").PN. OR ("6462647").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 15:11
S43	9	@ad<"20030429" and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 15:11
S44	6	S43 and (active same passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 15:11
S45	1068	@ad<"20030429" and (exchang\$3 near5 (power energy) near4 (information result info parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:47
S46	58	S45 and (bluetooth RFID (radio adj frequency adj identification) transponder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:47
S47	7	S46 and (active same passive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:48
S48	0	@ad<"20030429" and (decid\$3 near3 mode near5 based near4 (power energy) near2 (partner external remote))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:51

S49	12	(US-20080096499-\$ or US-20030141989-\$ or US-20010015381-\$ or US-20030104848-\$ or US-20010045460-\$ or US-20040201539-\$ or US-20020170969-\$).did. or (US-4827395-\$ or US-6580358-\$ or US-5850181-\$ or US-6745008-\$ or US-6462647-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/10 17:29
S50	5	S49 and protocol	US-PGPUB; USPAT	OR	ON	2008/09/10 17:29
S51	18	("5649295").PN. OR ("6580358").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 18:20
S52	14	S51 and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 18:20
S53	4	@ad<"20030429" and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 18:21
S54	22	@ad<"20030429" and (determin\$3 decid\$3) near3 power near source near5 received	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 12:54
S55	1	@ad<"20030429" and (determin\$3 decid\$3) near3 (passive near2 active) near5 received	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 12:58
S56	17918	@ad<"20030429" and ((near-field "near field") RFID (radio adj frequency adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:00
S57	0	S56 and (determin\$3 select\$3 decid\$3) near4 active near3 passive near4 (power source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:01

S58	21	S56 and (determin\$3 select\$3 decid\$3) near4 active near3 passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:01
S59	33	S56 and switch\$3 near4 active near3 passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:04
S60	7008	@ad<"20030429" and (RFID (radio adj frequency adj identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:05
S61	5	S60 and switch\$3 near4 active near3 passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:05
S62	5	S60 and (received near signal near2 (power strength)) near5 passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:18
S63	5	S60 and (restart\$3 near3 (protocol hand-shake handshake))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:23
S64	0	S60 and ((chang\$3 switch\$3) near4 power near mode) same (restart\$3 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:31
S65	0	@ad<"20030429" and ((chang\$3 switch\$3) near4 power near mode) same (restart\$3 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:31

S66	0	@ad<"20030429" and ((chang\$3 switch\$3) near4 power near2 mode) same (restart\$3 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:32
S67	2	@ad<"20030429" and ((chang\$3 switch\$3) near4 mode) same (restart\$3 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:32
S68	2592	@ad<"20030429" and (RFID ((RF radio (radio adj frequency)) adj tag)). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:42
S69	0	S68 and (decision near4 (passive near4 active))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:43
S70	0	S68 and (decision with passive with active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:44
S71	0	S68 and (decid\$3 with passive with active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:44
S72	695	S68 and (passive with active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:44
S73	14	S68 and (passive with active) near4 inform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:45

S74	29	S68 and ((transmission transmit\$4) near2 mode) near4 (inform\$5 exchange\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 10:48
S75	12	S68 and (passive near4 active) near4 (inform\$5 exchange\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:00
S76	14	S68 and (whether near4 passive near4 active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:02
S77	0	S68 and (decid\$3 near4 passive near4 active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:04
S78	0	S68 and (decid\$3 near5 partner near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:06
S79	0	S68 and (decid\$3 near5 reader near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:07
S80	0	S68 and (decid\$3 near5 communication near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:07
S81	0	S68 and (negotiat\$3 near4 mode near3 (transmission transmit send))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:08

S82	79	@ad<"20030429" and (negotiat\$3 near4 mode near3 (transmission transmit send))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:09
S83	0	@ad<"20030429" and (negotiat\$3 near4 mode near3 (transmission transmit send)) with (passive active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:09
S84	13	S82 and (mode near4 (passive active))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:09
S85	0	@ad<"20030429" and (negotiat\$3 near4 mode near3 (transmission transmit send communication)) with passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/21 11:15

8/ 25/ 2009 4:00:44 PM

C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10554382.wsp